

Spec.	Value			
File	C:\AudieTech2\Old Clive\1-1500\01058a.CPF			
Lobes	I1, E1			
Lobe Separation	106.3	Cam Deg.		
Checking Height	0.016	Inch		
Valve Overlap	91.0	Crank Deg.		
	Intake		Exhaust	
Centerline	103.33	ATDC	109.33	BTDC
Open	48.72	BTDC	80.98	BBDC
Close	74.61	ABDC	42.31	ATDC
Duration	303.3	Crank Deg.	303.3	Crank De
Area	31.04	Inch Deg.	31.06	Inch Deg
Lash	0.0120	Inch	0.0120	Inch
Rocker Ratio	1.60		1.60	
Peak Cam Lift	0.34046	Inch	0.34082	Inch
Peak Valve Lift	0.53274	Inch	0.53332	Inch
Lift @ TDC	0.1360	Inch	0.1144	Inch

Spec.	Value			
Checking Height	0.050	Inch		
Valve Overlap	50.1	Crank Deg.		
	Intake		Exhaust	
Centerline	103.33	ATDC	109.33	BTDC
Open	28.19	BTDC	60.69	BBDC
Close	54.40	ABDC	21.87	ATDC
Duration	262.6	Crank Deg.	262.6	Crank De
Area	30.38	Inch Deg.	30.45	Inch Deg
Lash	0.0120	Inch	0.0120	Inch
Rocker Ratio	1.60		1.60	
Peak Cam Lift	0.34046	Inch	0.34082	Inch
Peak Valve Lift	0.53274	Inch	0.53332	Inch
Lift @ TDC	0.1360	Inch	0.1144	Inch

Spec.	Value			
Checking Height	0.200	Inch		
Valve Overlap	-44.7	Crank Deg.		
	Intake		Exhaust	
Centerline	103.33	ATDC	109.33	BTDC
Open	19.12	ATDC	13.53	BBDC
Close	7.05	ABDC	25.54	BTDC
Duration	167.9	Crank Deg.	168.0	Crank De
Area	24.46	Inch Deg.	24.48	Inch Deg
Lash	0.0120	Inch	0.0120	Inch
Rocker Ratio	1.60		1.60	
Peak Cam Lift	0.34046	Inch	0.34082	Inch
Peak Valve Lift	0.53274	Inch	0.53332	Inch
Lift @ TDC	0.1360	Inch	0.1144	Inch